

# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 1 of 9

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier	TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI
1.2 Relevant identified uses of the substance or mixture and uses advised against	Identified uses: Cutting oil
1.3 Details of the supplier of the safety data sheet	GÜZEL ENERJİ AKARYAKIT A.Ş. 10013 Sokak No: 6 A.O.S.B. Çiğli / İZMİR Tel: 0 232 328 10 36 Faks: 0 232 328 20 82 e-mail : moillaboratuvar@oyakpetrol.com.tr
1,4 Emergency telephone number	Güzel Enerji Akaryakıt A.Ş. : 0 232 328 10 36 UZEM (National Poison Consultancy Center): 114

### **SECTION 2 : HAZARD IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification according to Regulation ( EC ) No 1272/2008

Skin Irrit. Cat.2, Eye Irrit. Cat.2, Aquatic Chronic Cat.4 H315 Causes skin irritation H319 Causes serious eye irritation H413 May cause long-lasting harmful effects to aquatic life

### 2.2 Label elements

Label elements according to Regulation ( EC ) No 1272/2008

Pictograms:



Signal Words : Warning



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 2 of 9

### **Hazard Statements:**

H315 Causes skin irritation

H319 Causes serious eye irritation

H413 May cause long-lasting harmful effects to aquatic life

### **Precautionary Statements:**

P264: Wash contaminated skin thoroughly after handling.
P280: Wear protective gloves and googles.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P362: Take off contaminated clothing and wash it before reuse.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and east to do. Continue rinsing.
P337+P313: If eye irritation persists, get medical advice/attention.
P273: Avoid release to the environment.
P501: Dispose of contents and container in accordance with local regulations.

### 2.3 Other hazards

Physical / Chemical Hazards : No significant hazards.

Health Hazards : Skin Irrit. Cat.2 – H315 Eye Irrit. Cat.2 – H319

Environmental Hazards : Aquatic Chronic Cat. 4, H413

### SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not Applicable

### 3.2 Mixtures

Chemical Composition	CAS No	EC No	Concentration	Classification
2,2'-iminodiethanol	111-42-2	203-868-0	1-2 %	Acute Tox. 4- H302 Skin Irrit. Cat.2 - H315 Eye Dmg.1 - H318 STOT Rep. Exp. 2 - H373
Tris(2-hydroxyethyl) amine	102-71-6	203-049-8	4-8	Not classified

### Additional information:

The Full Text for all Hazard Statements are Displayed in Section 16



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 3 of 9

### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

EYE CONTACT : Wash thoroughly with plenty of water. Remove any contact lenses. Obtain medical advice if any pain or redness develops or persists.

SKIN CONTACT : Wash skin thoroughly with soap and plenty water. Remove heavily contaminated clothing and wash underlying skin.

INHALATION: If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist, obtain medical advice.

INGESTION: If contamination the mouth occurs, wash out thoroughly with water. If ingestion occurs large amounts, do not induce vomiting; obtain medical advice of.

### 4.2 Most important symptoms and effects, both acute and delayed

Ingestion may result in nausea, vomiting and/or diarrhoea

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to doctor/physician: Treat symptomatically

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable extinguishing media: Dry chemical powder, foam, water fog, CO2

**Unsuitable extinguishing media :** Do not interfere with water to fire. Throwing strong water may spread fire.

### 5.2 Special hazards arising from the substance or mixture

Combustion occurs as a result of toxic gases. Carbon monoxide may be evolved if incomplete combustion occurs. With high temperatures may burn.

### **5.3 Advice for firefighters**

Closed areas, by trained personnel using fire protective clothing and oxygen mask deflated.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Safety glasses, work clothes, boots, gloves and boots should be used. Provide adequate ventilation



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 4 of 9

### 6.2 Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

Local authorities should be advised if significantspillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Slippery when spilt. Scrape up bulk of solid material and remove liquid with sand or other suitable inert absorbent material. Spilled product should be isolated from sources of ignition, good ventilation should be provided. Recovery of large spillages should be done by specialist personel.

### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

Good ventilation should be provided in the environment and should be avoided during use of the inhalation. Skin contact should be avoided and hygienic rules should be applied. Avoid eating, drinking and smoking while using. Wash hands thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Be exposed to direct sun rays, should not be stored near heat sources.

### 7.3 Specific end use(s)

Not applicable

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

### 8.1 Control parameters

No data avaliable.

### 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Provide adequate ventilation in the work area. Avoid inhalation of vapours.



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 5 of 9

### 8.2.2 Individual protection measures, such as personal protective equipment

### **Eye protection**

If contact is likely safety glasses with side shields are recommended.

### Skin protection

Wear protective clothing and gloves.

### Hand protection

Chemical-resistant gloves ( nitrile or neoprene ) should be used.

### **Respiratory protection**

If operations are such that exposure to vapour mis tor fume may be anticipated then suitable approved respiratory equipment should be worn.

### 8.2.3 Environmental exposure controls

Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Bo not allow the material to interfere with water pipes, lacrimation and soil.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	: Liquid	
Colour	: Clear	
Odour	: Characteristic	
Odour Threshold	: Data not available	
pH ( Emulsion )	: 9,5	
Melting Point	: Not applicable	
Pour Point	: Data not available	
Initial boiling point and boiling range : Data not available		
Flash Point `C	: Data not available	
Evaporation Rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper / Lower Flammability Limits: Data not available		



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 6 of 9

SDS Number : KG-F-2	235	
Vapour Pressure	: Data not available	
Vapour Density	: Data not available	
Density, 15'C	<b>:</b> 1,05 g/ml	
Solubility in Water	: Emulsion	
Partition Coefficient	: Data not available	
Auto-ignition Temperatur	e: Data not available	
Decomposition Temperature : Data not available		
Viscosity 40'C	: Data not available	
Explosive properties	: Data not available	
Oxidizing properties	: Data not available	
9.2 Other information		

Data not available

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

There is no known reactive hazard

### 10.2 Chemical stability

Stabile

Eyes

### 10.3 Possibility of hazardous reactions

Does not polymerize.

### **10.4 Conditions to avoid**

Do not expose to high temperatures or direct sunlight.

### **10.5 Incompatible materials** None

### **10.6 Hazardous decomposition products**

Thermal decomposition products will vary with conditions.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

: In case of contact with eyes causes severe eye irritation



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 7 of 9

Skin : Long-term skin contact may cause skin irritation.

**Ingestion** : May cause sickness.

Inhalation : No known hazards.

# SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

May cause long-term adverse effects in the aquatic environment.

### 12.2 Persistence and degradability

No data avaliable.

### 12.3 Bioaccumulative potential

No data avaliable.

### 12.4 Mobility in soil

Spilled product can cause pollution of groundwater.

### 12.5 Results of PBT and vPvB assessment

This product is not, or does not contain, a substance that is a PBT or a vPvB.

### **12.6 Other adverse effects**

No data available.

### SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of by incineration or other suitable means under conditions approved by the local authority or via licensed waste disposal contractor.

Waste no time to be spilled to the environment and waterways. Dispose of packaging or containers in accordance with local regional national and international regulations.

### **SECTION 14: TRANSPORT INFORMATION**

### 14.1 UN number

Not classified as hazardous for transport ( ADR/RID, ADNR, IMDG, ICAO/IATA )



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 8 of 9

### 14.2 UN proper shipping name

Not classified as hazardous for transport ( ADR/RID, ADNR, IMDG, ICAO/IATA )

### 14.3 Transport hazard class(es)

Not classified as hazardous for transport ( ADR/RID, ADNR, IMDG, ICAO/IATA )

### 14.4 Packing group

Not classified as hazardous for transport ( ADR/RID, ADNR, IMDG, ICAO/IATA )

### 14.5 Environmental hazards

Not classified as hazardous for transport ( ADR/RID, ADNR, IMDG, ICAO/IATA )

### 14.6 Special precautions for user

Not applicable

#### **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable

### **SECTION 15: REGULATORY INFORMATION**

### **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable EU Directives and Regulations:

Regulation (EC) No 1907/2006 - REACH Regulation No 1272/2008 – CLP ( Regulation on classification, labelling and packaging ) Commission Regulation (EU) 2015/830 ECHA Guidance on the compilation of safety data sheets

### **SECTION 16: OTHER INFORMATION**

### Abbreviations and acronyms

ADR ADNR RID IMDG ICAO-TI	<ul> <li>International Carriage of Dangerous Goods by Road</li> <li>Carriage of Dangerous Goods by Inland Waterways</li> <li>Regulations Relating to International Carriage of Dangerous Goods by Rail</li> <li>International Maritime Dangerous Goods</li> <li>International Civil Aviation Organization - Technical Instructions for the Safe Transport of Dangerous Goods by Air</li> </ul>
IATA	: International Air Transport Association
ACGIH	: American Conference of Governmental Industrial Hygienists
ASTM	: American Society for Testing and Materials
CAS	: Chemical Abstracts Service
GHS	: Globally Harmonised System of Classification and Labelling of Chemicals
OEL	: Occupational Exposure Limit
TWA	: Time-Weighted Average.
STEL	: Short term exposure limit
PBT	: Persistent, Bioaccumulative and Toxic
vPvB	: very Persistent and very Bioaccumulative
Marpol 73/78	: International Convention for the Prevention of Pollution From Ships



# TAM SENTETİK METAL İŞLEME VE SOĞUTMA SIVISI

According to Regulation ( EC ) No. 1907/2006 ( REACH ) Article 31, Annex II as amended.

Date of First Publication: 23.07.2010Revision Date: 28.11.2020Revision Number: 06SDS Number: KG-F-235

Page 9 of 9

### Wording of the H-statements in section 2 and 3:

H302	: Harmful if swallowed
H315	: Causes skin irritation
H318	: Causes serious eye damage
H319	: Causes serious eye irritation
H373	: May cause damage to organs through prolonged or repeated exposure
H413	: May cause long-lasting harmful effects to aquatic life

### Full text of other abbreviations

Skin Irrit.	: Skin Irritation
Acute Tox.	: Acute Toxicity
Eye Dam.	: Eye Damage
STOT Rep. Exp.	: Specific Target Organ Toxicity - Repeated exposure

### **Revision Comments**

Company title change

### Issued by

Name and Surname: Arzu GÜRBIYIKContact Information: arzu.gurbiyik@oyakpetrol.com.trDocument Type: Chemical Assessment Specialist CertificateDocument Date: 06.12.2018Certificate Number: TÜV/11.06.03

### Warning

The information presented about health safety and environment issues in this safety data sheet was given by considering of best knowledge and reliable sources at the date of its preparation. Although maximum effort was shown, no warranty is expressed or implied regarding the accuracy of these kdata or the results to be obtained from the use thereof.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations.

It is the user's obligation to evaluate and use this product safety and to comply with all applicable laws and regulations.

No statement made in this data sheet shall be construed as a permission, recomendation or authorization given or implied to practise any patented invention without a valid licence.

The GÜZEL ENERJİ AKARYAKIT A.Ş. shall not be responsible for any damage or injuru resulting from abnormal use of the material from any failure to adhere to recommendations or from any hazards inherent in the nature of the material.